

Dynamic Programming

- Steps.
 - ✓ View the problem solution as the result of a sequence of decisions.
 - ✓ Obtain a formulation for the problem state.
 - ✓ Verify that the principle of optimality holds.
 - ✓ Set up the dynamic programming recurrence equations.
 - ✓ Solve these equations for the value of the optimal solution.
 - Perform a traceback to determine the optimal solution.



Dynamic Programming



- When solving the dynamic programming recurrence recursively, be sure to avoid the recomputation of the optimal value for the same problem state.
- To minimize run time overheads, and hence to reduce actual run time, dynamic programming recurrences are almost always solved iteratively (no recursion).


0/1 Knapsack Recurrence



- If $w_n \leq y$, $f(n,y) = p_n$.
- If $w_n > y$, $f(n,y) = 0$.
- When $i < n$
 - $f(i,y) = f(i+1,y)$ whenever $y < w_i$.
 - $f(i,y) = \max\{f(i+1,y), f(i+1,y-w_i) + p_i\}$, $y \geq w_i$.
- Assume the weights and capacity are integers.
- Only $f(i,y)$ s with $1 \leq i \leq n$ and $0 \leq y \leq c$ are of interest.

Iterative Solution Example

- $n = 5$, $c = 8$, $w = [4,3,5,6,2]$, $p = [9,7,10,9,3]$



Compute $f[5][*]$

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 7, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4									
3									
2									
1									

$y \longrightarrow$

$i \downarrow$

Compute $f[4][*]$

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3									
2									
1									

$y \longrightarrow$

$i \downarrow$

$$f(i, y) = \max\{f(i+1, y), f(i+1, y-w_i) + p_i\}, y \geq w_i$$

Compute $f[3][*]$

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$		0	1	2	3	4	5	6	7	8
5		0	0	3	3	3	3	3	3	3
4		0	0	3	3	3	3	9	9	12
3		0	0	3	3	3	10	10	13	13
2										
1										

$y \longrightarrow$

$i \downarrow$

$$f(i, y) = \max\{f(i+1, y), f(i+1, y-w_i) + p_i\}, y \geq w_i$$

Compute $f[2][*]$

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$		0	1	2	3	4	5	6	7	8
5		0	0	3	3	3	3	3	3	3
4		0	0	3	3	3	3	9	9	12
3		0	0	3	3	3	10	10	13	13
2		0	0	3	8	8	11	11	13	18
1										

$y \longrightarrow$

$i \downarrow$

$$f(i, y) = \max\{f(i+1, y), f(i+1, y-w_i) + p_i\}, y \geq w_i$$

Compute f[1][c]

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

f[i][y]	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3	0	0	3	3	3	10	10	13	13
2	0	0	3	8	8	11	11	13	18
1									18

$y \longrightarrow$

$i \downarrow$

$$f(i, y) = \max\{f(i+1, y), f(i+1, y-w_i) + p_i\}, y \geq w_i$$

Iterative Implementation

```
// initialize f[n][]
int yMax = Math.min(w[n] - 1, c);
for (int y = 0; y <= yMax; y++)
    f[n][y] = 0;
for (int y = w[n]; y <= c; y++)
    f[n][y] = p[n];
```

Iterative Implementation

```
// compute f[i][y], 1 < i < n
for (int i = n - 1; i > 1; i--)
{
    yMax = Math.min(w[i] - 1, c);
    for (int y = 0; y <= yMax; y++)
        f[i][y] = f[i + 1][y];
    for (int y = w[i]; y <= c; y++)
        f[i][y] = Math.max(f[i + 1][y],
                           f[i + 1][y - w[i]] + p[i]);
}
```

Iterative Implementation

```
// compute f[1][c]
f[1][c] = f[2][c];
if (c >= w[1])
    f[1][c] = Math.max(f[1][c],
                       f[2][c - w[1]] + p[1]);
}
```

Time Complexity



- $O(cn)$.
- Same as for the recursive version with no recomputations.
- Iterative version is expected to run faster because of lower overheads.
 - No checks to see if $f[i][j]$ already computed (but all $f[i][j]$ are computed).
 - Method calls replaced by **for** loops.

Traceback

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$		0	1	2	3	4	5	6	7	8
5		0	0	3	3	3	3	3	3	3
4		0	0	3	3	3	3	9	9	12
3		0	0	3	3	3	10	10	13	13
2		0	0	3	8	8	11	11	13	18
1										18

$y \longrightarrow$

$i \downarrow$

$$f[1][8] = f[2][8] \Rightarrow x_1 = 0$$

Traceback

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3	0	0	3	3	3	10	10	13	13
2	0	0	3	8	8	11	11	13	18
1									18

$y \longrightarrow$

$i \downarrow$

$f[2][8] \neq f[3][8] \Rightarrow x_2 = 1$

Traceback

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3	0	0	3	3	3	10	10	13	13
2	0	0	3	8	8	11	11	13	18
1									18

$y \longrightarrow$

$i \downarrow$

$f[3][5] \neq f[4][5] \Rightarrow x_3 = 1$

Traceback

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3	0	0	3	3	3	10	10	13	13
2	0	0	3	8	8	11	11	13	18
1									18

$y \longrightarrow$

$i \downarrow$

$f[4][0] = f[5][0] \Rightarrow x_4 = 0$

Traceback

- $n = 5, c = 8, w = [4, 3, 5, 6, 2], p = [9, 8, 10, 9, 3]$

$f[i][y]$	0	1	2	3	4	5	6	7	8
5	0	0	3	3	3	3	3	3	3
4	0	0	3	3	3	3	9	9	12
3	0	0	3	3	3	10	10	13	13
2	0	0	3	8	8	11	11	13	18
1									18

$y \longrightarrow$


$i \downarrow$

$f[5][0] = 0 \Rightarrow x_5 = 0$

Complexity Of Traceback



- $O(n)$



Matrix Multiplication Chains

- Multiply an $m \times n$ matrix A and an $n \times p$ matrix B to get an $m \times p$ matrix C .

$$C(i,j) = \sum_{k=1}^n A(i,k) * B(k,j)$$

- We shall use the number of multiplications as our complexity measure.
- n multiplications are needed to compute one $C(i,j)$.
- mnp multiplications are needed to compute all mp terms of C .

Matrix Multiplication Chains

- Suppose that we are to compute the product $X*Y*Z$ of three matrices X , Y and Z .
- The matrix dimensions are:
 - $X:(100 \times 1)$, $Y:(1 \times 100)$, $Z:(100 \times 1)$
- Multiply X and Y to get a 100×100 matrix T .
 - $100 * 1 * 100 = 10,000$ multiplications.
- Multiply T and Z to get the 100×1 answer.
 - $100 * 100 * 1 = 10,000$ multiplications.
- Total cost is $20,000$ multiplications.
- $10,000$ units of space are needed for T .

Matrix Multiplication Chains

- The matrix dimensions are:
 - $X:(100 \times 1)$
 - $Y:(1 \times 100)$
 - $Z:(100 \times 1)$
- Multiply Y and Z to get a 1×1 matrix T .
 - $1 * 100 * 1 = 100$ multiplications.
- Multiply X and T to get the 100×1 answer.
 - $100 * 1 * 1 = 100$ multiplications.
- Total cost is 200 multiplications.
- 1 unit of space is needed for T .

Product Of 5 Matrices

- Some of the ways in which the product of 5 matrices may be computed.
 - $A*(B*(C*(D*E)))$ right to left
 - $((((A*B)*C)*D)*E)$ left to right
 - $(A*B)*((C*D)*E)$
 - $(A*B)*(C*(D*E))$
 - $(A*(B*C))*(D*E)$
 - $((A*B)*C)*(D*E)$

Find Best Multiplication Order

- Number of ways to compute the product of q matrices is $O(4^q/q^{1.5})$.
- Evaluating all ways to compute the product takes $O(4^q/q^{0.5})$ time.





An Application

- Registration of pre- and post-operative 3D brain MRI images to determine volume of removed tumor.



3D Registration



3D Registration

- Each image has $256 \times 256 \times 256$ voxels.
- In each iteration of the registration algorithm, the product of three matrices is computed at each voxel ... $(12 \times 3) * (3 \times 3) * (3 \times 1)$
- Left to right computation $\Rightarrow 12 * 3 * 3 + 12 * 3 * 1 = 144$ multiplications per voxel per iteration.
- 100 iterations to converge.

3D Registration

- Total number of multiplications is about $2.4 * 10^{11}$.
- Right to left computation $\Rightarrow 3 * 3 * 1 + 12 * 3 * 1 = 45$ multiplications per voxel per iteration.
- Total number of multiplications is about $7.5 * 10^{10}$.
- With 10^8 multiplications per second, time is 40 min vs 12.5 min.