

Rank

Rank of an element is its position in ascending key order.

[2,6,7,8,10,15,18,20,25,30,35,40]

rank(2) = 0

rank(15) = 5

rank(20) = 7

Selection Problem

- Given n unsorted elements, determine the k 'th smallest element. That is, determine the element whose rank is $k-1$.
- Applications
 - Median score on a test.
 - $k = \text{ceil}(n/2)$.
 - Median salary of Computer Scientists.
 - Identify people whose salary is in the bottom 10%. First find salary at the 10% rank.

Selection By Sorting

- Sort the n elements.
- Pick up the element with desired rank.
- $O(n \log n)$ time.

Divide-And-Conquer Selection

- Small instance has $n \leq 1$. Selection is easy.
- When $n > 1$, select a **pivot** element from out of the n elements.
- Partition the n elements into 3 groups **left**, **middle** and **right** as is done in quick sort.
- The rank of the **pivot** is the location of the pivot following the partitioning.
- If $k-1 = \text{rank}(\text{pivot})$, **pivot** is the desired element.
- If $k-1 < \text{rank}(\text{pivot})$, determine the k 'th smallest element in **left**.
- If $k-1 > \text{rank}(\text{pivot})$, determine the $(k - \text{rank}(\text{pivot}) - 1)$ 'th smallest element in **right**.

D&C Selection Example

Find k th element of:

a

3	2	8	0	11	10	1	2	9	7	1
---	---	---	---	----	----	---	---	---	---	---

Use 3 as the pivot and partition.

a

1	2	1	0	2	3	10	11	9	7	8
---	---	---	---	---	---	----	----	---	---	---

$\text{rank}(\text{pivot}) = 5$. So pivot is the 6'th smallest element.

D&C Selection Example

a

1	2	1	0	2	3	10	11	9	7	8
---	---	---	---	---	---	----	----	---	---	---

- If $k = 6$ ($k-1 = \text{rank}(\text{pivot})$), pivot is the element we seek.
- If $k < 6$ ($k-1 < \text{rank}(\text{pivot})$), find k 'th smallest element in **left** partition.
- If $k > 6$ ($k-1 > \text{rank}(\text{pivot})$), find $(k - \text{rank}(\text{pivot}) - 1)$ 'th smallest element in **right** partition.


Time Complexity




- Worst case arises when the partition to be searched always has all but the pivot .
 - $O(n^2)$
- Expected performance is $O(n)$.
- Worst case becomes $O(n)$ when the pivot is chosen carefully.
 - Partition into $n/9$ groups with 9 elements each (last group may have a few more)
 - Find the median element in each group.
 - pivot is the median of the group medians.
 - This median is found using **select** recursively.

Closest Pair Of Points

- Given n points in 2D, find the pair that are closest.




Applications



- We plan to drill holes in a metal sheet.
- If the holes are too close, the sheet will tear during drilling.
- Verify that no two holes are closer than a threshold distance (e.g., holes are at least **1 inch** apart).

Air Traffic Control



- 3D -- Locations of airplanes flying in the neighborhood of a busy airport are known.
- Want to be sure that no two planes get closer than a given threshold distance.


Simple Solution

- For each of the $n(n-1)/2$ pairs of points, determine the distance between the points in the pair.
- Determine the pair with the minimum distance.
- $O(n^2)$ time.

Divide-And-Conquer Solution

- When **n** is small, use simple solution.
- When **n** is large
 - Divide the point set into two roughly equal parts **A** and **B**.
 - Determine the closest pair of points in **A**.
 - Determine the closest pair of points in **B**.
 - Determine the closest pair of points such that one point is in **A** and the other in **B**.
 - From the three closest pairs computed, select the one with least distance.

Example




A

B

- Divide so that points in A have x-coordinate \leq that of points in B.

Example




A

B

- Find closest pair in A.
- Let d_1 be the distance between the points in this pair.

Example




A

B

- Find closest pair in B.
- Let d_2 be the distance between the points in this pair.

Example




A

B

- Let $d = \min\{d_1, d_2\}$.
- Is there a pair with one point in A, the other in B and distance $< d$?


Example



A R_A R_B B

- Candidates lie within d of the dividing line.
- Call these regions R_A and R_B , respectively.


Example



A R_A R_B B

- Let q be a point in R_A .
- q need be paired only with those points in R_B that are within d of $q.y$.


Example



A R_A R_B B

- Points that are to be paired with q are in a $d \times 2d$ rectangle of R_B (comparing region of q).
- Points in this rectangle are at least d apart.

Example



A R_A R_B B

- So the comparing region of q has at most 6 points.
- So number of pairs to check is $\leq 6 |R_A| = O(n)$.

Time Complexity



- Create a sorted by x -coordinate list of points.
 - $O(n \log n)$ time.
- Create a sorted by y -coordinate list of points.
 - $O(n \log n)$ time.
- Using these two lists, the required pairs of points from R_A and R_B can be constructed in $O(n)$ time.
- Let $n < 4$ define a *small* instance.

Time Complexity



- Let $t(n)$ be the time to find the closest pair (excluding the time to create the two sorted lists).
- $t(n) = c$, $n < 4$, where c is a constant.
- When $n \geq 4$,
$$t(n) = t(\text{ceil}(n/2)) + t(\text{floor}(n/2)) + an,$$
where a is a constant.
- To solve the recurrence, assume n is a power of 2 and use repeated substitution.
- $t(n) = O(n \log n)$.